

SHOP LSW LED

Product Group: Continuous Line and Batten Luminaire



Images for the product family and options:



Description: A continuous line LED luminaire with various optics, quick and tool-free mounting to cut installation cost to the minimum
 Optics: 30x90°, 60x100°, 90x100°, asymmetric and double asymmetric light beam
 Body and end caps: steel sheet, white finish
 Luminaire with an option L or LL is designed for in-line connection

General data: Mains voltage: 220-240V, 0/50-60Hz
 Power factor: >0,95
 Light source: LED
 Light source included: Yes
 Light distribution type: Direct
 LED lifetime, h: 75000/L80B50 (low power versions 100000/L80B50)
 Operating temperature range, °C: ta 0...+35
 Protection class IEC: I
 Ingress protection code: IP20
 Mechanical impact resistance: IK05
 EEC: A++

Installation: Suspended (suspension brackets are included). Through wired, 5x1.5mm², two connectors, 5-pole plug(1601/VC) and socket(1602/VC), STUCHHI

Environment: Indoor

Application: Retail, hall, public place



Shop LSW LED fittings have been designed for connection in modern lighting systems with a wide choice of join accessories. Thanks to interesting design and wide choice of optics, they comply with the highest lighting standards and act as an interesting element of interior design



SHOP LSW I-JOIN- "I" join element with LED light source



SHOP LSW T-JOIN- "T" join element with LED light source



SHOP LSW L-JOIN- "L" join element with LED light source



SHOP LSW X-JOIN- "X" join element with LED light source



Through wired 5x1.5mm² with 5-pole plug(1601/VC) and socket(1602/VC) on both sides. Quick installation features save project time and money. For more information check the option list

TECHNICAL DATA SHEET

Product	Length, mm	Width, mm	Height, mm	Luminaire output*, lm	System power*, W	System efficacy*, lm/W	CRI	CCT*, K	Weight, kg
Shop LSW LED1x3150 D673 T830 LS90x100 L1 LO1	1155	67	66	3004	20,1	149	80+	3000	2,50
Shop LSW LED1x3900 D674 T830 LS90x100 L1 LO2	1155	67	66	3707	24,5	151	80+	3000	2,50
Shop LSW LED1x5250 D675 T830 LS90x100 L1 LO3	1155	67	66	5007	34,1	147	80+	3000	2,50
Shop LSW LED1x5850 D676 T830 LS90x100 L1 LO4	1155	67	66	5588	39,3	142	80+	3000	2,50
Shop LSW LED1x6450 D677 T830 LS90x100 L1 LO5	1155	67	66	6131	44,7	137	80+	3000	2,50
Shop LSW LED1x3950 D678 T830 LS90x100 L1 LO1	1442	67	66	3755	24,1	156	80+	3000	3,20
Shop LSW LED1x4850 D679 T830 LS90x100 L1 LO2	1442	67	66	4634	30,6	151	80+	3000	3,20
Shop LSW LED1x6550 D680 T830 LS90x100 L1 LO3	1442	67	66	6258	42,6	147	80+	3000	3,20
Shop LSW LED1x7300 D681 T830 LS90x100 L1 LO4	1442	67	66	6985	49,2	142	80+	3000	3,20
Shop LSW LED1x8050 D682 T830 LS90x100 L1 LO5	1442	67	66	7664	55,2	139	80+	3000	3,20
Shop LSW LED1x7850 D683 T830 LS90x100 L1 LO1	2875	67	66	7510	46,6	161	80+	3000	6,30
Shop LSW LED1x9700 D684 T830 LS90x100 L1 LO2	2875	67	66	9267	58,6	158	80+	3000	6,30
Shop LSW LED1x13100 D685 T830 LS90x100 L1 LO3	2875	67	66	12517	84,3	148	80+	3000	6,30
Shop LSW LED1x14600 D686 T830 LS90x100 L1 LO4	2875	67	66	13971	97,3	144	80+	3000	6,30
Shop LSW LED1x16050 D687 T830 LS90x100 L1 LO5	2875	67	66	15329	110,4	139	80+	3000	6,30
Shop LSW LED1x3150 D673 T840 LS90x100 L1 LO1	1155	67	66	3138	20,1	156	80+	4000	2,50
Shop LSW LED1x3900 D674 T840 LS90x100 L1 LO2	1155	67	66	3871	24,5	158	80+	4000	2,50
Shop LSW LED1x5250 D675 T840 LS90x100 L1 LO3	1155	67	66	5231	34,1	153	80+	4000	2,50
Shop LSW LED1x5850 D676 T840 LS90x100 L1 LO4	1155	67	66	5837	39,3	148	80+	4000	2,50
Shop LSW LED1x6450 D677 T840 LS90x100 L1 LO5	1155	67	66	6406	44,7	143	80+	4000	2,50
Shop LSW LED1x3950 D678 T840 LS90x100 L1 LO1	1442	67	66	3923	24,1	163	80+	4000	3,20
Shop LSW LED1x4850 D679 T840 LS90x100 L1 LO2	1442	67	66	4839	30,6	158	80+	4000	3,20
Shop LSW LED1x6550 D680 T840 LS90x100 L1 LO3	1442	67	66	6538	42,6	153	80+	4000	3,20
Shop LSW LED1x7300 D681 T840 LS90x100 L1 LO4	1442	67	66	7297	49,2	148	80+	4000	3,20
Shop LSW LED1x8050 D682 T840 LS90x100 L1 LO5	1442	67	66	8008	55,2	145	80+	4000	3,20
Shop LSW LED1x7850 D683 T840 LS90x100 L1 LO1	2875	67	66	7845	46,6	168	80+	4000	6,30
Shop LSW LED1x9700 D684 T840 LS90x100 L1 LO2	2875	67	66	9679	58,6	165	80+	4000	6,30
Shop LSW LED1x13100 D685 T840 LS90x100 L1 LO3	2875	67	66	13076	84,3	155	80+	4000	6,30
Shop LSW LED1x14600 D686 T840 LS90x100 L1 LO4	2875	67	66	14593	97,3	150	80+	4000	6,30
Shop LSW LED1x16050 D687 T840 LS90x100 L1 LO5	2875	67	66	16015	110,4	145	80+	4000	6,30
Shop LSW LED1x3150 D673 T840 LS60x100 L1 LO1	1155	67	66	3138	20,1	156	80+	4000	2,50
Shop LSW LED1x3900 D674 T840 LS60x100 L1 LO2	1155	67	66	3871	24,5	158	80+	4000	2,50
Shop LSW LED1x5250 D675 T840 LS60x100 L1 LO3	1155	67	66	5231	34,1	153	80+	4000	2,50
Shop LSW LED1x5850 D676 T840 LS60x100 L1 LO4	1155	67	66	5837	39,3	148	80+	4000	2,50
Shop LSW LED1x6450 D677 T840 LS60x100 L1 LO5	1155	67	66	6406	44,7	143	80+	4000	2,50
Shop LSW LED1x3950 D678 T840 LS60x100 L1 LO1	1442	67	66	3923	24,1	163	80+	4000	3,20
Shop LSW LED1x4850 D679 T840 LS60x100 L1 LO2	1442	67	66	4839	30,6	158	80+	4000	3,20
Shop LSW LED1x6550 D680 T840 LS60x100 L1 LO3	1442	67	66	6538	42,6	153	80+	4000	3,20
Shop LSW LED1x7300 D681 T840 LS60x100 L1 LO4	1442	67	66	7297	49,2	148	80+	4000	3,20
Shop LSW LED1x8050 D682 T840 LS60x100 L1 LO5	1442	67	66	8008	55,2	145	80+	4000	3,20
Shop LSW LED1x7850 D683 T840 LS60x100 L1 LO1	2875	67	66	7845	46,6	168	80+	4000	6,30
Shop LSW LED1x9700 D684 T840 LS60x100 L1 LO2	2875	67	66	9679	58,6	165	80+	4000	6,30
Shop LSW LED1x13100 D685 T840 LS60x100 L1 LO3	2875	67	66	13076	84,3	155	80+	4000	6,30
Shop LSW LED1x14600 D686 T840 LS60x100 L1 LO4	2875	67	66	14593	97,3	150	80+	4000	6,30
Shop LSW LED1x16050 D687 T840 LS60x100 L1 LO5	2875	67	66	16015	110,4	145	80+	4000	6,30
Shop LSW LED1x3150 D673 T840 LS30x90 L1 LO1	1155	67	66	3138	20,1	156	80+	4000	2,50
Shop LSW LED1x3900 D674 T840 LS30x90 L1 LO2	1155	67	66	3871	24,5	158	80+	4000	2,50
Shop LSW LED1x5250 D675 T840 LS30x90 L1 LO3	1155	67	66	5231	34,1	153	80+	4000	2,50
Shop LSW LED1x5850 D676 T840 LS30x90 L1 LO4	1155	67	66	5837	39,3	148	80+	4000	2,50
Shop LSW LED1x6450 D677 T840 LS30x90 L1 LO5	1155	67	66	6406	44,7	143	80+	4000	2,50
Shop LSW LED1x3950 D678 T840 LS30x90 L1 LO1	1442	67	66	3923	24,1	163	80+	4000	3,20
Shop LSW LED1x4850 D679 T840 LS30x90 L1 LO2	1442	67	66	4839	30,6	158	80+	4000	3,20
Shop LSW LED1x6550 D680 T840 LS30x90 L1 LO3	1442	67	66	6538	42,6	153	80+	4000	3,20
Shop LSW LED1x7300 D681 T840 LS30x90 L1 LO4	1442	67	66	7297	49,2	148	80+	4000	3,20
Shop LSW LED1x8050 D682 T840 LS30x90 L1 LO5	1442	67	66	8008	55,2	145	80+	4000	3,20
Shop LSW LED1x7850 D683 T840 LS30x90 L1 LO1	2875	67	66	7845	46,6	168	80+	4000	6,30
Shop LSW LED1x9700 D684 T840 LS30x90 L1 LO2	2875	67	66	9679	58,6	165	80+	4000	6,30
Shop LSW LED1x13100 D685 T840 LS30x90 L1 LO3	2875	67	66	13076	84,3	155	80+	4000	6,30
Shop LSW LED1x14600 D686 T840 LS30x90 L1 LO4	2875	67	66	14593	97,3	150	80+	4000	6,30
Shop LSW LED1x16050 D687 T840 LS30x90 L1 LO5	2875	67	66	16015	110,4	145	80+	4000	6,30
Shop LSW LED1x3150 D673 T840 LS2A40 L1 LO1	1155	67	66	3039	20,1	151	80+	4000	2,50
Shop LSW LED1x3900 D674 T840 LS2A40 L1 LO2	1155	67	66	3749	24,5	153	80+	4000	2,50
Shop LSW LED1x5250 D675 T840 LS2A40 L1 LO3	1155	67	66	5065	34,1	149	80+	4000	2,50
Shop LSW LED1x5850 D676 T840 LS2A40 L1 LO4	1155	67	66	5653	39,3	144	80+	4000	2,50
Shop LSW LED1x6450 D677 T840 LS2A40 L1 LO5	1155	67	66	6204	44,7	139	80+	4000	2,50
Shop LSW LED1x3950 D678 T840 LS2A40 L1 LO1	1442	67	66	3799	24,1	158	80+	4000	3,20
Shop LSW LED1x4850 D679 T840 LS2A40 L1 LO2	1442	67	66	4687	30,6	153	80+	4000	3,20
Shop LSW LED1x6550 D680 T840 LS2A40 L1 LO3	1442	67	66	6332	42,6	149	80+	4000	3,20
Shop LSW LED1x7300 D681 T840 LS2A40 L1 LO4	1442	67	66	7066	49,2	144	80+	4000	3,20
Shop LSW LED1x8050 D682 T840 LS2A40 L1 LO5	1442	67	66	7755	55,2	140	80+	4000	3,20
Shop LSW LED1x7850 D683 T840 LS2A40 L1 LO1	2875	67	66	7597	46,6	163	80+	4000	6,30
Shop LSW LED1x9700 D684 T840 LS2A40 L1 LO2	2875	67	66	9373	58,6	160	80+	4000	6,30
Shop LSW LED1x13100 D685 T840 LS2A40 L1 LO3	2875	67	66	12663	84,3	150	80+	4000	6,30
Shop LSW LED1x14600 D686 T840 LS2A40 L1 LO4	2875	67	66	14133	97,3	145	80+	4000	6,30

TECHNICAL DATA SHEET

Shop LSW LED1x16050 D687 T840 LS2A40 L1 LO5	2875	67	66	15509	110,4	140	80+	4000	6,30
Shop LSW LED1x3150 D673 T840 LS1A18 L1 LO1	1155	67	66	2973	20,1	148	80+	4000	2,50
Shop LSW LED1x3900 D674 T840 LS1A18 L1 LO2	1155	67	66	3668	24,5	150	80+	4000	2,50
Shop LSW LED1x5250 D675 T840 LS1A18 L1 LO3	1155	67	66	4955	34,1	145	80+	4000	2,50
Shop LSW LED1x5850 D676 T840 LS1A18 L1 LO4	1155	67	66	5530	39,3	141	80+	4000	2,50
Shop LSW LED1x6450 D677 T840 LS1A18 L1 LO5	1155	67	66	6069	44,7	136	80+	4000	2,50
Shop LSW LED1x3950 D678 T840 LS1A18 L1 LO1	1442	67	66	3716	24,1	154	80+	4000	3,20
Shop LSW LED1x4850 D679 T840 LS1A18 L1 LO2	1442	67	66	4585	30,6	150	80+	4000	3,20
Shop LSW LED1x6550 D680 T840 LS1A18 L1 LO3	1442	67	66	6194	42,6	145	80+	4000	3,20
Shop LSW LED1x7300 D681 T840 LS1A18 L1 LO4	1442	67	66	6913	49,2	141	80+	4000	3,20
Shop LSW LED1x8050 D682 T840 LS1A18 L1 LO5	1442	67	66	7586	55,2	137	80+	4000	3,20
Shop LSW LED1x7850 D683 T840 LS1A18 L1 LO1	2875	67	66	7432	46,6	160	80+	4000	6,30
Shop LSW LED1x9700 D684 T840 LS1A18 L1 LO2	2875	67	66	9169	58,6	156	80+	4000	6,30
Shop LSW LED1x13100 D685 T840 LS1A18 L1 LO3	2875	67	66	12388	84,3	147	80+	4000	6,30
Shop LSW LED1x14600 D686 T840 LS1A18 L1 LO4	2875	67	66	13825	97,3	142	80+	4000	6,30
Shop LSW LED1x16050 D687 T840 LS1A18 L1 LO5	2875	67	66	15172	110,4	137	80+	4000	6,30

* tolerance range for optical and electrical data: ±10%. Values apply to an ambient temperature of 25°C

PREMIUM RANGE AVAILABLE ON REQUEST (SUBJECT TO MINIMUM ORDER QUANTITY)

Product	Length, mm	Width, mm	Height, mm	Luminaire output*, lm	System power*, W	System efficacy*, lm/W	CRI	CCT*, K	Weight, kg
Shop LSW LED1x3350 G001 T830 LS90x100 L1 LO1	1155	67	66	3183	20,3	157	80+	3000	2,50
Shop LSW LED1x4100 G002 T830 LS90x100 L1 LO2	1155	67	66	3928	24,5	160	80+	3000	2,50
Shop LSW LED1x5550 G003 T830 LS90x100 L1 LO3	1155	67	66	5306	33,9	157	80+	3000	2,50
Shop LSW LED1x6250 G004 T830 LS90x100 L1 LO4	1155	67	66	5922	39,0	152	80+	3000	2,50
Shop LSW LED1x6900 G005 T830 LS90x100 L1 LO5	1155	67	66	6498	44,2	147	80+	3000	2,50
Shop LSW LED1x9450 G016 T830 LS90x100 L1 LO6	1155	67	66	8934	60,8	147	80+	3000	2,50
Shop LSW LED1x4150 G006 T830 LS90x100 L1 LO1	1442	67	66	3979	24,2	164	80+	3000	3,20
Shop LSW LED1x5150 G007 T830 LS90x100 L1 LO2	1442	67	66	4910	30,6	160	80+	3000	3,20
Shop LSW LED1x6950 G008 T830 LS90x100 L1 LO3	1442	67	66	6632	42,3	157	80+	3000	3,20
Shop LSW LED1x7800 G009 T830 LS90x100 L1 LO4	1442	67	66	7403	48,7	152	80+	3000	3,20
Shop LSW LED1x8600 G010 T830 LS90x100 L1 LO5	1442	67	66	8122	54,7	149	80+	3000	3,20
Shop LSW LED1x11800 G017 T830 LS90x100 L1 LO6	1442	67	66	11168	75,2	149	80+	3000	3,20
Shop LSW LED1x8300 G011 T830 LS90x100 L1 LO1	2875	67	66	7958	46,8	170	80+	3000	6,30
Shop LSW LED1x10250 G012 T830 LS90x100 L1 LO2	2875	67	66	9821	58,6	168	80+	3000	6,30
Shop LSW LED1x13900 G013 T830 LS90x100 L1 LO3	2875	67	66	13264	83,8	158	80+	3000	6,30
Shop LSW LED1x15550 G014 T830 LS90x100 L1 LO4	2875	67	66	14805	96,5	153	80+	3000	6,30
Shop LSW LED1x17150 G015 T830 LS90x100 L1 LO5	2875	67	66	16244	110,4	147	80+	3000	6,30
Shop LSW LED1x23600 G018 T830 LS90x100 L1 LO6	2875	67	66	22335	151,8	147	80+	3000	6,30
Shop LSW LED1x3350 G001 T840 LS90x100 L1 LO1	1155	67	66	3315	20,3	164	80+	4000	2,50
Shop LSW LED1x4100 G002 T840 LS90x100 L1 LO2	1155	67	66	4088	24,5	167	80+	4000	2,50
Shop LSW LED1x5550 G003 T840 LS90x100 L1 LO3	1155	67	66	5542	33,9	164	80+	4000	2,50
Shop LSW LED1x6250 G004 T840 LS90x100 L1 LO4	1155	67	66	6209	39,0	159	80+	4000	2,50
Shop LSW LED1x6900 G005 T840 LS90x100 L1 LO5	1155	67	66	6853	44,2	155	80+	4000	2,50
Shop LSW LED1x9450 G016 T840 LS90x100 L1 LO6	1155	67	66	9422	60,8	155	80+	4000	2,50
Shop LSW LED1x4150 G006 T840 LS90x100 L1 LO1	1442	67	66	4144	24,2	171	80+	4000	3,20
Shop LSW LED1x5150 G007 T840 LS90x100 L1 LO2	1442	67	66	5110	30,6	167	80+	4000	3,20
Shop LSW LED1x6950 G008 T840 LS90x100 L1 LO3	1442	67	66	6927	42,3	164	80+	4000	3,20
Shop LSW LED1x7800 G009 T840 LS90x100 L1 LO4	1442	67	66	7761	48,7	159	80+	4000	3,20
Shop LSW LED1x8600 G010 T840 LS90x100 L1 LO5	1442	67	66	8566	54,7	157	80+	4000	3,20
Shop LSW LED1x11800 G017 T840 LS90x100 L1 LO6	1442	67	66	11778	75,2	157	80+	4000	3,20
Shop LSW LED1x8300 G011 T840 LS60x100 L1 LO1	2875	67	66	8288	46,8	177	80+	4000	6,30
Shop LSW LED1x10250 G012 T840 LS90x100 L1 LO2	2875	67	66	10220	58,6	174	80+	4000	6,30
Shop LSW LED1x13900 G013 T840 LS90x100 L1 LO3	2875	67	66	13855	83,8	165	80+	4000	6,30
Shop LSW LED1x15550 G014 T840 LS90x100 L1 LO4	2875	67	66	15523	96,5	161	80+	4000	6,30
Shop LSW LED1x17150 G015 T840 LS90x100 L1 LO5	2875	67	66	17132	109,3	157	80+	4000	6,30
Shop LSW LED1x23600 G018 T840 LS90x100 L1 LO6	2875	67	66	23556	150,3	157	80+	4000	6,30
Shop LSW LED1x3350 G001 T840 LS60x100 L1 LO1	1155	67	66	3315	20,3	164	80+	4000	2,50
Shop LSW LED1x4100 G002 T840 LS60x100 L1 LO2	1155	67	66	4088	24,5	167	80+	4000	2,50
Shop LSW LED1x5550 G003 T840 LS60x100 L1 LO3	1155	67	66	5542	33,9	164	80+	4000	2,50
Shop LSW LED1x6250 G004 T840 LS60x100 L1 LO4	1155	67	66	6209	39,0	159	80+	4000	2,50
Shop LSW LED1x6900 G005 T840 LS60x100 L1 LO5	1155	67	66	6853	44,2	155	80+	4000	2,50
Shop LSW LED1x9450 G016 T840 LS60x100 L1 LO6	1155	67	66	9422	60,8	155	80+	4000	2,50
Shop LSW LED1x4150 G006 T840 LS60x100 L1 LO1	1442	67	66	4144	24,2	171	80+	4000	3,20
Shop LSW LED1x5150 G007 T840 LS60x100 L1 LO2	1442	67	66	5110	30,6	167	80+	4000	3,20
Shop LSW LED1x6950 G008 T840 LS60x100 L1 LO3	1442	67	66	6927	42,3	164	80+	4000	3,20
Shop LSW LED1x7800 G009 T840 LS60x100 L1 LO4	1442	67	66	7761	48,7	159	80+	4000	3,20
Shop LSW LED1x8600 G010 T840 LS60x100 L1 LO5	1442	67	66	8566	54,7	157	80+	4000	3,20
Shop LSW LED1x11800 G017 T840 LS60x100 L1 LO6	1442	67	66	11778	75,2	157	80+	4000	3,20
Shop LSW LED1x8300 G011 T840 LS60x100 L1 LO1	2875	67	66	8288	46,8	177	80+	4000	6,30
Shop LSW LED1x10250 G012 T840 LS60x100 L1 LO2	2875	67	66	10220	58,6	174	80+	4000	6,30
Shop LSW LED1x13900 G013 T840 LS60x100 L1 LO3	2875	67	66	13855	83,8	165	80+	4000	6,30
Shop LSW LED1x15550 G014 T840 LS60x100 L1 LO4	2875	67	66	15523	96,5	161	80+	4000	6,30
Shop LSW LED1x17150 G015 T840 LS60x100 L1 LO5	2875	67	66	17132	109,3	157	80+	4000	6,30
Shop LSW LED1x23600 G018 T840 LS60x100 L1 LO6	2875	67	66	23556	150,3	157	80+	4000	6,30
Shop LSW LED1x3350 G001 T840 LS30x90 L1 LO1	1155	67	66	3315	20,3	164	80+	4000	2,50
Shop LSW LED1x4100 G002 T840 LS30x90 L1 LO2	1155	67	66	4088	24,5	167	80+	4000	2,50

TECHNICAL DATA SHEET


Shop LSW LED1x5550 G003 T840 LS30x90 L1 LO3	1155	67	66	5542	33,9	164	80+	4000	2,50
Shop LSW LED1x6250 G004 T840 LS30x90 L1 LO4	1155	67	66	6209	39,0	159	80+	4000	2,50
Shop LSW LED1x6900 G005 T840 LS30x90 L1 LO5	1155	67	66	6853	44,2	155	80+	4000	2,50
Shop LSW LED1x9450 G016 T840 LS30x90 L1 LO6	1155	67	66	9422	60,8	155	80+	4000	2,50
Shop LSW LED1x4150 G006 T840 LS30x90 L1 LO1	1442	67	66	4144	24,2	171	80+	4000	3,20
Shop LSW LED1x5150 G007 T840 LS30x90 L1 LO2	1442	67	66	5110	30,6	167	80+	4000	3,20
Shop LSW LED1x6950 G008 T840 LS30x90 L1 LO3	1442	67	66	6927	42,3	164	80+	4000	3,20
Shop LSW LED1x7800 G009 T840 LS30x90 L1 LO4	1442	67	66	7761	48,7	159	80+	4000	3,20
Shop LSW LED1x8600 G010 T840 LS30x90 L1 LO5	1442	67	66	8566	54,7	157	80+	4000	3,20
Shop LSW LED1x11800 G017 T840 LS30x90 L1 LO6	1442	67	66	11778	75,2	157	80+	4000	3,20
Shop LSW LED1x8300 G011 T840 LS30x90 L1 LO1	2875	67	66	8288	46,8	177	80+	4000	6,30
Shop LSW LED1x10250 G012 T840 LS30x90 L1 LO2	2875	67	66	10220	58,6	174	80+	4000	6,30
Shop LSW LED1x13900 G013 T840 LS30x90 L1 LO3	2875	67	66	13855	83,8	165	80+	4000	6,30
Shop LSW LED1x15550 G014 T840 LS30x90 L1 LO4	2875	67	66	15523	96,5	161	80+	4000	6,30
Shop LSW LED1x17150 G015 T840 LS30x90 L1 LO5	2875	67	66	17132	109,3	157	80+	4000	6,30
Shop LSW LED1x23600 G018 T840 LS30x90 L1 LO6	2875	67	66	23556	150,3	157	80+	4000	6,30
Shop LSW LED1x3350 G001 T840 LS2A40 L1 LO1	1155	67	66	3210	20,3	158	80+	4000	2,50
Shop LSW LED1x4100 G002 T840 LS2A40 L1 LO2	1155	67	66	3959	24,5	162	80+	4000	2,50
Shop LSW LED1x5550 G003 T840 LS2A40 L1 LO3	1155	67	66	5367	33,9	158	80+	4000	2,50
Shop LSW LED1x6250 G004 T840 LS2A40 L1 LO4	1155	67	66	6013	39,0	154	80+	4000	2,50
Shop LSW LED1x6900 G005 T840 LS2A40 L1 LO5	1155	67	66	6636	44,2	150	80+	4000	2,50
Shop LSW LED1x9450 G016 T840 LS2A40 L1 LO6	1155	67	66	9125	60,8	150	80+	4000	2,50
Shop LSW LED1x4150 G006 T840 LS2A40 L1 LO1	1442	67	66	4013	24,2	166	80+	4000	3,20
Shop LSW LED1x5150 G007 T840 LS2A40 L1 LO2	1442	67	66	4949	30,6	162	80+	4000	3,20
Shop LSW LED1x6950 G008 T840 LS2A40 L1 LO3	1442	67	66	6709	42,3	158	80+	4000	3,20
Shop LSW LED1x7800 G009 T840 LS2A40 L1 LO4	1442	67	66	7516	48,7	154	80+	4000	3,20
Shop LSW LED1x8600 G010 T840 LS2A40 L1 LO5	1442	67	66	8295	54,7	152	80+	4000	3,20
Shop LSW LED1x11800 G017 T840 LS2A40 L1 LO6	1442	67	66	11406	75,2	152	80+	4000	3,20
Shop LSW LED1x8300 G011 T840 LS2A40 L1 LO1	2875	67	66	8026	46,8	171	80+	4000	6,30
Shop LSW LED1x10250 G012 T840 LS2A40 L1 LO2	2875	67	66	9898	58,6	169	80+	4000	6,30
Shop LSW LED1x13900 G013 T840 LS2A40 L1 LO3	2875	67	66	13417	83,8	160	80+	4000	6,30
Shop LSW LED1x15550 G014 T840 LS2A40 L1 LO4	2875	67	66	15033	96,5	156	80+	4000	6,30
Shop LSW LED1x17150 G015 T840 LS2A40 L1 LO5	2875	67	66	16591	109,3	152	80+	4000	6,30
Shop LSW LED1x23600 G018 T840 LS2A40 L1 LO6	2875	67	66	22812	150,3	152	80+	4000	6,30
Shop LSW LED1x3350 G001 T840 LS1A18 L1 LO1	1155	67	66	3141	20,3	155	80+	4000	2,50
Shop LSW LED1x4100 G002 T840 LS1A18 L1 LO2	1155	67	66	3873	24,5	158	80+	4000	2,50
Shop LSW LED1x5550 G003 T840 LS1A18 L1 LO3	1155	67	66	5250	33,9	155	80+	4000	2,50
Shop LSW LED1x6250 G004 T840 LS1A18 L1 LO4	1155	67	66	5882	39,0	151	80+	4000	2,50
Shop LSW LED1x6900 G005 T840 LS1A18 L1 LO5	1155	67	66	6492	44,2	147	80+	4000	2,50
Shop LSW LED1x9450 G016 T840 LS1A18 L1 LO6	1155	67	66	8926	60,8	147	80+	4000	2,50
Shop LSW LED1x4150 G006 T840 LS1A18 L1 LO1	1442	67	66	3926	24,2	162	80+	4000	3,20
Shop LSW LED1x5150 G007 T840 LS1A18 L1 LO2	1442	67	66	4841	30,6	158	80+	4000	3,20
Shop LSW LED1x6950 G008 T840 LS1A18 L1 LO3	1442	67	66	6563	42,3	155	80+	4000	3,20
Shop LSW LED1x7800 G009 T840 LS1A18 L1 LO4	1442	67	66	7353	48,7	151	80+	4000	3,20
Shop LSW LED1x8600 G010 T840 LS1A18 L1 LO5	1442	67	66	8115	54,7	148	80+	4000	3,20
Shop LSW LED1x11800 G017 T840 LS1A18 L1 LO6	1442	67	66	11158	75,2	148	80+	4000	3,20
Shop LSW LED1x8300 G011 T840 LS1A18 L1 LO1	2875	67	66	7851	46,8	168	80+	4000	6,30
Shop LSW LED1x10250 G012 T840 LS1A18 L1 LO2	2875	67	66	9682	58,6	165	80+	4000	6,30
Shop LSW LED1x13900 G013 T840 LS1A18 L1 LO3	2875	67	66	13126	83,8	157	80+	4000	6,30
Shop LSW LED1x15550 G014 T840 LS1A18 L1 LO4	2875	67	66	14706	96,5	152	80+	4000	6,30
Shop LSW LED1x17150 G015 T840 LS1A18 L1 LO5	2875	67	66	16230	109,3	148	80+	4000	6,30
Shop LSW LED1x23600 G018 T840 LS1A18 L1 LO6	2875	67	66	22316	150,3	148	80+	4000	6,30

* tolerance range for optical and electrical data: ±10%. Values apply to an ambient temperature of 25°C

Available options:

LS30x90	Optics with 30x90° beam angle
LS60x100	Optics with 60x100° beam angle
LS90x100	Optics with 90x100° beam angle
LS1A18-L	Optics with asymmetric beam, light direction - left
LS1A18-R	Optics with asymmetric beam, light direction - right
<i>*note - please, for LSA18 optics specify direction</i>	
LS2A40	Optics with double asymmetric beam
LO1	Light output level 1
LO2	Light output level 2
LO3	Light output level 3
SDIM	Driver with switch-control dimming
DALI	Driver with DALI interface
EM3	Emergency version 3 hours
EM3B	Emergency version 3 hours (best available technology)
EM3A	Emergency version equipped with an autonomous testing system, 3 hours
EM3D	Emergency version 3 hours with DALI interface
L1	Driver connected to L1 line
L2	Driver connected to L2 line
L3	Driver connected to L3 line
<i>* note - please always specify one of L1, L2, L3 options before placing an order</i>	
L	for in-line connection end/first luminaire (lengths: 1153/ 1440/ 2873mm)
LL	for in-line connection intermediate luminaire (lengths: 1151/ 1438/ 2871mm)
T830	Colour temperature 3000K, CRI 80+
T840	Colour temperature 4000K, CRI 80+

TECHNICAL DATA SHEET



Available accessories:



Product: Power supply socket 1602/VCB-M-5 5x1.5-2.5mm2
Description: 5-pole socket (Stucchi - 1602/VCB-M-5) for power supply, 1pcs
**note - please use power supply socket for first in-line luminaire connection to power source*



Product: I-JOIN PLATE Shop LSW LED
Description: I-Join element for connecting luminaires in-line, 1pcs (extra)



Product: BLANK Shop LSW LED L1151mm
Description: Blank part kit for connecting luminaires in-line 1151mm long, 1pcs



Product: BLANK Shop LSW LED L1438mm
Description: Blank part kit for connecting luminaires in-line 1438mm long, 1pcs



Product: END CAP Shop LSW LED
Description: End cap kit for Shop LSW LED luminaires, 1pcs (extra)

Applications:



